

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	15	master with slave with doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:02
S2	151	doorbell near2 register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:09
S3	16	doorbell near2 register\$2 same master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:09
S4	12	doorbell near2 register\$2 same master same slave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:09
S5	0	doorbell near2 register\$2 same master same slave not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:09
S6	139	doorbell near2 register\$2 not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:13
S7	74	doorbell near2 register\$2 not S1 and master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:14
S8	37	doorbell near2 register\$2 not S1 and master and slave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:25

S9	139	doorbell near2 register\$2 not S1 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:26
S10	37	doorbell near2 register\$2 not S1 same memory and master and slave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:42
S11	11	doorbell near2 register\$2 same memory and master and slave not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:45
S12	192382	(subsequent or after) near3 stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:46
S13	6350	(subsequent or after) near3 stor\$3 with (doorbell or register\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:46
S14	1186	(subsequent or after) near3 stor\$3 with (doorbell or register\$2) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:47
S15	1186	(subsequent or after) near3 stor\$3 with (doorbell or register\$2) with memory with stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:47
S16	222	(subsequent or after) near3 stor\$3 with (doorbell or register\$2) with memory with stor\$3 with first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:47

S17	125	(subsequent or after) near3 stor\$3 with (doorbell or register\$2) with memory with stor\$3 with first with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 10:48
S18	15	(subsequent or after) near3 stor\$3 with (doorbell or register\$2) with memory with stor\$3 with first with second with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:12
S19	14324	register\$2 with first with second with memor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:13
S20	174	register\$2 with (first near2 memory) near4 portion with (second with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:15
S21	97	register\$2 with (first near2 memory) near4 first near2 portion with (second with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:17
S22	1	(set or setting) near4 register\$2 with (first near2 memory) near4 first near2 portion with (second with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:17
S23	11	register\$2 with (first memory) near4 first near2 portion with (second memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:20
S24	256	(master-to-slave) or (slave-to-master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:22

S25	19	((master-to-slave) or (slave-to-master)) with register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:31
S26	962	(master or slave) register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:36
S27	77011	(store or write) near2 (information or portion or data or image or file or command) near2 (memory or buffer or queue or rom or ram or cache or flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:39
S28	1053	(store or write) near2 (information or portion or data or image or file or command) near2 (memory or buffer or queue or rom or ram or cache or flash) same (set or setting or load) near2 (register\$2 or indicator or storage or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:42
S29	9	(store or write) near2 (information or portion or data or image or file or command) near2 (memory or buffer or queue or rom or ram or cache or flash) same (set or setting or load) near2 (register\$2 or indicator or storage or location) same (detect\$3 or determin\$3) near2 (register\$2 or indicator or storage or location) near2 (set or setting or load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:50
S30	62	(store or load) file memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:52
S31	0	(store or load) file memory with register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:52
S32	0	(store or load) file memory same register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:52

S33	40	(store or load) file memory and register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:53
S34	1	(store or load) file memory and (set or setting or load or write) near2 register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:54
S35	8	(store or load) near2 image file memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:58
S36	3447	(updat\$3 or upgrad\$3) near2 (bios or firmware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:58
S37	26	(updat\$3 or upgrad\$3) near2 (bios or firmware) and doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 12:04
S38	12	(updat\$3 or upgrad\$3) near2 (bios or firmware) and doorbell not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 11:59
S39	8	(updat\$3 or upgrad\$3) near2 (bios or firmware) same (set near2 register\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 12:12
S40	218	(updat\$3 or upgrad\$3) near2 (bios or firmware) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 12:12

S41	65	(updat\$3 or upgrad\$3) near2 (bios or firmware) and "717"/\$.ccls. and register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:03
S42	21	(updat\$3 or upgrad\$3) near2 (bios or firmware) same register\$2 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:05
S43	2	(updat\$3 or upgrad\$3) near2 (bios or firmware) same ((set or setting) with register\$2) and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:25
S44	351	(master and slave) same shared memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:26
S45	22	(master and slave) same shared memory and (doorbell or mailbox)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:26
S46	2	(master and slave) same shared memory same (doorbell or mailbox)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 13:26
S47	37	(update or updating or upgrade or upgrading) near1 firmware with end user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 16:33
S48	0	(update or updating or upgrade or upgrading) near1 firmware same mailbox register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/13 16:33

S49	4	(update or updating or upgrade or upgrading) near1 firmware same mailbox	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/14 11:21
S50	2	("6631520").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:22
S53	12855	hard disk near3 rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/14 12:27
S54	3711	hard disk near1 rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/14 12:28
S55	470	hard disk rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/14 12:28
S56	2	("6,188,602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 08:43
S57	41	(upgrading firmware).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 10:44
S58	9	(upgrading firmware).ti. and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 11:54

S59	72	((upgrad\$3 or updat\$3) near2 firmware).ti. and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 11:59
S60	108	((upgrad\$3 or updat\$3) near2 firmware).ti. and (portion or section or part or field) same (memory or rom or ram or eeprom or flash or volatile or non-volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 11:56
S61	108	((upgrad\$3 or updat\$3) near2 firmware).ti. and ((portion or section or part or field) same (memory or rom or ram or eeprom or flash or volatile or non-volatile))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 11:57
S62	2	("5812857").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 13:25
S63	1652	persistent memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 13:25
S64	1	persistent memory with rom eeprom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 13:25
S65	167	persistent memory with flash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 13:25
S66	55	717/173.ccls. and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:07

S67	12	717/173.ccls. and first portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:11
S68	5	717/173.ccls. and first portion and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:20
S69	23	717/173.ccls. and (portion with (image or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:22
S70	8	717/173.ccls. and (portion with (image or file)) and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:22
S71	23	"5812857"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:39
S72	6	S71 and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:49
S73	0	717/173.ccls. and doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:49
S74	1	717/173.ccls. and mailbox	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:50

S75	52	717/173.ccls. and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:50
S76	280	717/173.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:51
S77	28	717/169.ccls. and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:52
S78	104	717/169-173.ccls. and firmware and portion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:54
S79	1	717/169-173.ccls. and doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:53
S82	15	717/169-173.ccls. and firmware and portion and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:56
S83	209	717/169-173.ccls. and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:19
S84	142	717/169.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:57

S85	28	717/169.ccls. and firmware	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 14:59
S86	670	ready bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:03
S87	185	ready bit with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:03
S88	0	ready bit with doorbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:03
S89	136	doorbell register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:03
S90	37	doorbell register same (ready or done)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:04
S91	191	717/169-173.ccls. and ready	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:19
S92	1	717/169-173.ccls. and (ready with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 15:55

S93	5	"6507881"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/17 16:18
S94	2	("6188602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 09:38